



ကဘဉ်သူကသဉ် ကသီတဖဉ်ဘဉ် ဘျးဘဉ်ဒါဒလဉ်

ယကဘဉ်ပုကသဉ်ကသီတဖဉ်ဖဲအီးစတြလယါအပူဒလဉ်.

ကျအိဉ်ဝဲခိဘိလကပုကသဉ်ကသီတဖဉ်ဖဲအီးစတြလယါအပူန့ဉ်လီ.

- > လာနကသဉ်သရဉ်အအိဉ်, လကသဉ်လံလကတါန့ဉ်လီအီးတဖဉ်အဂီ
- > လကသဉ်ကျး, ကသဉ်တလိဉ်ကသဉ်သရဉ်တါပျတဖဉ်န့ဉ်လီ.

ကသဉ်လကတါန့ဉ်လီအီးတဖဉ်

နမန့ဉ်ကသဉ်ကသီတနီယုဒီးလံကတကုသုဒဉ်ထဲလာနကသဉ်
သရဉ်အအိဉ်လကအဘဉ်တါသုဉ်ညါအီးလက “ကသဉ်လံန့ဉ်လီ”
(‘prescription’) “မ့တမ့ကသဉ်အလီ” (‘script’) န့ဉ်လီ. ကသဉ်
လံန့ဉ်လီအီးတဲဘဉ်ကသဉ်ကျးဘဉ်ယးကသဉ်မနုလကလိဉ်ဒီးန
ကဘဉ်သူအီးဒလဉ်အဂီလီ.

ဒ်သီးကမန့ဉ်ကသဉ်အဂီ, လဲစိဘဉ်ကသဉ်လံန့ဉ်လီအီးဆူက
သဉ်ကျးတယျါလံလံသုဝဲလီ. လဲစိဘဉ် န Medicare အကးမ့
တမ့ တါအိဉ်ဆူအိဉ်ချ့တါကွါထွဲအကးကးယုဒီးနခီယျါအါစုအါ
ဘျတါတဖဉ်အဲကမစုလီတါအလုအပူသုဝဲန့ဉ်လီ. နမ့မ့ပုယု
တါအိဉ်ကဒုတဂန့ဉ်, နကလိဉ်ဘဉ်လဲဆူကသဉ်ကျးလီဆီတယျါ
လကမန့ဉ်ကသဉ်အဂီသုဝဲလီ.

နမ့လိဉ်အိကသဉ်လကဆကတါယံမးအတါပူန့ဉ်, ကသဉ်သရဉ်
ကဟ့ဉ်နကသဉ်လံန့ဉ်လီလက “တါပုကဒါအီးသုအဘျါအါ”
(‘repeat’) န့ဉ်လီ. တါအီးအိပညီမ့ဝဲန့ဉ်ပုကသဉ်တသီတဘျါခီယျါ
တါသူကသဉ်လံန့ဉ်လီတဘျါအီးအီးလကတလိဉ်နလဲထံဉ်ကဒါန
ကသဉ်သရဉ်အသီတဘျါဘဉ်န့ဉ်သုလီ.

ကသဉ်လံန့ဉ်လီတဖဉ်န့ဉ်မ့ထဲဒဉ်ပုလကအမဲအိဉ်ဝဲလကသဉ်
လံန့ဉ်လီအပူအဂီခီလီ. ကကဲထီဉ်တါလီပျါအလီသုဖဲပုအ
ဂတဖဉ်ကသူအီးအါလီ.

Dr. A Practitioner 99 Station Street Central NSW 2001 Phone: (99) 9999 9999 Prescriber no.: 123456	
Patient's Medicare no.: 3900724651-1	
Pharmaceutical benefits prescriber number	<input type="checkbox"/> Safety Net entitlement card holder (unless relevant box)
	<input type="checkbox"/> Concessional or dependent RPBS beneficiary or Safety Net (concession card holder)
Patient's name:	Mast John Citizen
Address:	1 Station Street Central NSW 2001
Date	03/04/07
PHS	RPBS <input type="checkbox"/> Brand substitution not permitted
Medicare Australia / DVA	NEMDYN EAR OINTMENT 10g APPLY TOPICALLY TO SORES IN NOSTRIL TDS Qty: 1 0 repeat 1 Item
	Dr. A Practitioner MBBS A Practitioner <small>Please turn over for privacy note</small>
<small>I certify that I have received this medication and the information relating to any entitlement to free or concessional pharmaceutical benefits is not false or misleading.</small>	
<small>Date of supply</small>	<small>Patient's or agent's signature</small>
<small>Agent's address</small>	<small>4004 110000</small>

ကသဉ်လံန့ဉ်လီအိဖဲအီးစတြလယါအပူ

ကဘဉ်သူကသိဉ်ကသိဘဉ်တဖဉ်ဘဉ်ဘျီးဘဉ်ဒါဒိလဲဉ်

မ့ဉ်တၢ်အကိဒိဉ်ဝဲလၢနကဆဲးအိကသိဉ်ကသိလၢတၢ်န့ဉ်လီၤန့ၤတုၤနကသိဉ်သရဉ်မ့တမ့ဉ်ကသိဉ်သရဉ်ဖိကသိဉ်တဘဉ်န့ၤလၢကပတုၤတစု, မ့မ့ဉ်ဒဉ်လဲဉ်ဖဲနအိဉ်ဆူဉ်ထီဉ်အခါန့ဉ်လီၤ.

မ့ဉ်တၢ်အကိဒိဉ်လၢနကတဲဘဉ်ကသိဉ်သရဉ်မ့တမ့ဉ်သရဉ်/သရဉ်မ့ဉ်ကွၢ်ပုၤဆါလၢနထီဉ်အိၤတဖဉ်လၢနအိကသိဉ်ကသိမန့ၤန့ဉ်လီၤ. ဒီးတဲဘဉ်စ့ဉ်ကိးအဝဲသ့ဉ်လၢကသိဉ်အိဉ်ဝဲလၢနအိအိၤဒီးမၤဆိးက့ၤန့ဉ်လီၤ.နမ့ဉ်တတဲဘဉ်ကသိဉ်သရဉ်ခဲလၢဘဉ်ယးတၢ်ဂ့ၢ်တၢ်ကျိၤတဖဉ်အိၤန့ဉ်, အဝဲသ့ဉ်ကဟ့ဉ်ဘဉ်ဖုးနကသိဉ်အသိလၢအတမၤတၢ်ဒီးကသိဉ်လၢနအိတ့ၢ်လဲအိၤတဖဉ်ဂ့ၢ်န့ဉ်လီၤ.

နမ့ဉ်အိကသိဉ်ဘၢတၢ်မံၤအပျၢဉ်, ကသိဉ်သ့ဉ်ဂံၢ်ဝဉ်စဲမ့တမ့ဉ်ကသိဉ်လုၢ်လၢပျၢၤတဖဉ်န့ဉ်, တဲဘဉ်နကသိဉ်သရဉ်, သရဉ်မ့ဉ်/သရဉ်ကွၢ်ပုၤဆါမ့တမ့ဉ်ကသိဉ်သရဉ်ဖိကသိဉ်တဖဉ်တက့ၢ်. တဘျီတခိဉ်တၢ်တဖဉ်အိၤကကဲထီဉ်ဝဲကသိဉ်လၢနကသိဉ်သရဉ်ဟ့ဉ်နတဖဉ်တမၤတၢ်ဂ့ၢ်ဂ့ၢ်ဘဉ်ဘဉ်သ့ဝဲမ့တမ့ဉ်ဒုးကဲထီဉ်တၢ်ဂ့ၢ်ကိလၢနတၢ်အိဉ်ဆူဉ်အိဉ်ချ့အဂီၢ်သ့ဝဲလီၤ.

ကသိဉ်လၢတလိဉ်ဘဉ်ကသိဉ်သရဉ်တၢ်ပျဲတဖဉ်

နပူၤကသိဉ်လၢတၢ်တနဲဉ်လီၤအိၤတဖဉ်သ့ဝဲလီၤ.တၢ်အံၤတၢ်ကိးအိၤလၢ ကသိဉ်လၢတလိဉ်ဘဉ်ကသိဉ်သရဉ်တၢ်ပျဲ ('over the counter') ကသိဉ်တဖဉ်န့ဉ်လီၤ.နပူၤကသိဉ်တဖဉ်အံၤဖဲကသိဉ်ကျးတဖဉ်အပူၤဒီးတၢ်ဆါတၢ်ပူၤအလီၢ်ဒိကျးဖးဒိဉ်အပူၤတဖဉ်သ့ဝဲလီၤ.

ကသိဉ်လၢတလိဉ်ဘဉ်ကသိဉ်သရဉ်တၢ်ပျဲလၢတၢ်ဆါတၢ်ပူၤအလီၢ်တဖဉ်အဒိ-

- > ကသ့ဉ်ကူး, တၢ်ဘဉ်တမ့ဉ်, တိးက့ၤကသိဉ်တဖဉ်
- > ကသိဉ်မၤစၢ်လီၤတၢ်ဆါဒိအမ့ဉ်အဲးစပြု, အဲစံတါမံနိဖဲ(န) ဒီးအါတြုဖဲ(န)
- > ကသိဉ်လၢကိဝဲယုၢ်ဆါ, ခိဉ်သဉ်ယံဆါ, ဒီးမိၢ်ပုၤဆါတဖဉ်အဂီၢ်
- > ကသိဉ်စီၢ်လီၤမဲၤချဲတဖဉ်
- > ကသိဉ်ဟၢဖၤလူဒီးဟၢဖၤကျိၤတဖဉ်

ယကဘဉ်အိကသိဉ်ဘဉ်ဘျီးဘဉ်ဒါသ့ဝဲဒိလဲဉ်.

ကသိဉ်ကသိခဲလၢအိဉ်ဒီးအလိၣ်ကွဲးလီၤလၢအလိၣ်န့ဉ်လီၤ.

လိၣ်ကွဲးလီၤလၢကသိဉ်အလိၣ်တဘဉ်န့ၤလၢကဘဉ်သူကသိဉ်ပူၤပူၤဖျးဖျးဒိလဲဉ်, ပဉ်ယုၢ်ဝဲ-

- > ကဘဉ်သူအိၤထဲလဲဉ်
- > ကဘဉ်သူအိၤဆဲးယိၣ်လဲဉ်
- > ကဘဉ်အိအိၤတနံၤပုၤဘျီလဲဉ်
- > နကဘဉ်သူအိၤပုၤသီလဲဉ်

Do Not Use if pouch is broken or torn.

Failure to follow these warnings could result in serious consequences.

Drug Facts

Active ingredients (in each LiquiCap)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan HBr 15 mg	Cough suppressant
Doxylamine succinate 6.25 mg	Antihistamine

Uses temporarily relieves common cold/flu symptoms:

- cough due to minor throat & bronchial irritation
- minor aches & pains
- fever
- headache
- runny nose & sneezing

Warnings

Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4 doses in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen = 3 or more alcoholic drinks every day while using this product

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use - with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleep

Ask a doctor before use if you have

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- do not use more than directed
- excitability may occur, especially in children
- marked drowsiness may occur
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, & tranquilizers may increase drowsiness

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. Overdose warning: Taking more than the recommended dose can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions

- take only as directed - see Overdose warning
- do not exceed 4 doses per 24 hours

adults & children 12 yrs & over	2 LiquiCaps with water every 6 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Other information

- when using other DayQuil or NyQuil products, carefully read each label to ensure correct dosing
- store at room temperature

Inactive ingredients DSC Yellow No. 10, FD&C Blue No. 1, gelatin, glycerin, polyethylene glycol, polyvinylpyrrolidone, propylene glycol, purified water, sorbitol, sucralose, titanium dioxide

Questions? 1-800-251-3374

www.vicks.com

PARENTS: See the back of the box for more information.

Do Not Use if pouch is broken or torn.

TO OPEN
PUSH IN TAB AND PULL OUT

See Full Drug Facts information on the back of this dispenser

25 PACKETS OF 2 LiquiCaps®

ကသိဉ်လၢအအိဉ်ဒီးအလိၣ်ကွဲးလီၤလၢအလိၣ်ယုၢ်ဒီးတၢ်န့ဉ်လီၤတဖဉ်အဒိ

ကဘဉ်သူကသိကသိဘဉ်တဖဉ်ဘဉ်ဘျီးဘဉ်ဒါဒိလဲဉ်

မ့တၢ်အကါဒိဉ်ဝဲဒိဉ်ကတၢ်လၢကဘဉ်အိကသိတဖဉ်ဒ်အလိာ်ကွဲးလၢအလိာ်တဲဝဲအသိးန့ဉ်လီၤ.

အိဘဉ်တဘိယျာ်ဃီဒိတၢ်ဟ့ဉ်ကူဉ်အိဉ်အသိးတက့ၢ်.

တဘဉ်အိအါမ့တမ့ၢ်စ့ၤန့ၢ်ဒီးတၢ်န့ဉ်လီၤအိဉ်လၢလိာ်ကွဲးလၢအလိာ်အသိးမ့တမ့ၢ်ကသိဉ်သရဉ်ဖိကသိဉ်တဘဉ်န့ၢ်အသိးတဂ့ၤ.

ကသိဉ်ကသိန့ဉ်မၤစၢၤန့ၢ်လၢန့ၢ်ကအိဉ်ဆူဉ်ထီဉ်က့ၤဖဲန့ၢ်ဆိးက့ၤအခါ, ဘဉ်ဆဉ်န့ၢ်မ့ၢ်တအိအိဘဉ်ဘျီးဘဉ်ဒါဘဉ်န့ဉ်, အဝဲမၤဆူးမၤဆါန့ၢ်သ့ဝဲလီၤ.

တဘဉ်ဟ့ဉ်အိနကသိဉ်ဆူဉ်ပုၤဂၤတဖဉ်အအိဉ်တဂ့ၤဒီးတဘဉ်အိပုၤအဂၤတဖဉ်ကသိဉ်ကသိတဂ့ၤ.

ကသိဉ်ကသိလၢအဂ့ၤဝဲလၢပုၤအဂၤဒဉ်ဝဲအဂီၢ်န့ဉ်တမၤတၢ်ဒီးန့ၢ်တၢ်ဆါလၢအအိဉ်ဒီးန့ၢ်ဒီးကနးထီဉ်ဝဲသ့သ့သ့သ့လီၤ.

ကသိဉ်မၤသံတၢ်ဃီတဖဉ်န့ဉ်အဂီၢ်ဆူဉ်ဒိဉ်မး, နကဘဉ်အိအိဖဲနကသိဉ်သရဉ်တဲဘဉ်န့ၢ်န့ၢ်လီၤ.ကသိဉ်အတၢ်မၤဘဉ်ဒိဘဉ်ထံးကကဲထီဉ်သ့ဝဲအဒိဉ်အအါဖဲန့ၢ်အိအိမ့ၢ်တဘဉ်ဘျီးဘဉ်ဒါအခါန့ဉ်လီၤ.

ကသိဉ်တနီၤကဒုးကဲထီဉ်တၢ်မၤဘဉ်ဒိဘဉ်ထံးသ့ဝဲလီၤ. ကသိဉ်အယိတၢ်ဘဉ်ဒိဘဉ်ထံးန့ဉ်ကစၢ်ဝဲသ့သ့သ့သ့, ဒိတၢ်ဟၢမၤဆါ, မ့တမ့ၢ်အဝဲသ့ဉ်ကနးဒိဉ်ထီဉ်, ဒိမၤဟးဂီၢ်န့ၢ်အသိးလီၤ.

န့ၢ်ထီဉ်ဘဉ်လၢတၢ်လဲၤကမ့ၢ်ကမ့ၢ်ဘဉ်ဖးအသးတမံမံန့ဉ်, ကတိတၢ်ဒီးနကသိဉ်သရဉ်မ့တမ့ၢ်ကသိဉ်သရဉ်ဖိကသိဉ်တက့ၢ်. သံကွၢ်ဘဉ်ပုၤကတိကျိးထံတၢ်ဖိဖဲန့ၢ်လိဉ်ဘဉ်အိအခါတက့ၢ်. ပုၤကတိကျိးထံတၢ်ဖိတဖဉ်တလၢဝဲဘျဉ်လၢဝဲစ့ၤဘဉ်.



ကသိဉ်မၤသံတၢ်ဃီအဒိတကလုဉ်

ကသိဉ်လၢအပနီၢ်အမံၤတအိဉ်တဖဉ်မ့ၢ်မန့ၢ်လဲဉ်.

တဘျီတခိဉ်န့ဉ်ယုထၢ “ကသိဉ်အပတီၢ်မ့ၢ်လၢတအိဉ်ဒီးအမံၤအသ့လီၤဆီဘဉ်” (‘generic’) ဒီးကသိဉ်လၢအအိဉ်ဒီးအမံၤအသ့လီၤဆီသ့ဝဲန့ဉ်လီၤ.

ကသိဉ်လၢအပနီၢ်မံၤတအိဉ်ဒီးကသိဉ်လၢအအိဉ်ဒီးအပနီၢ်မံၤလီၤဆီတဖဉ်မၤတၢ်တကျဲကျဲလီၤ. ကသိဉ်လၢအပနီၢ်မံၤတအိဉ်တဖဉ်ညီန့ၢ်အပူၤဘဉ်ဝဲလီၤ.

ဖဲကသိဉ်လၢန့ၢ်လိဉ်ဘဉ်အိမ့ၢ်အိဉ်ဝဲဒဉ်လၢအပနီၢ်မံၤတအိဉ်လၢန့ဉ်ယုထၢအိအဂီၢ်န့ဉ်,နကသိဉ်သရဉ်ဖိကသိဉ်ကသိကွၢ်န့ၢ်မ့ၢ်န့ၢ်ဒီးကသိဉ်လၢအပနီၢ်မံၤတအိဉ်လၢကသိဉ်လၢအအိဉ်ဒီးပနီၢ်အမံၤလီၤဆီအလီၢ်န့ဉ်လီၤ.

ဖဲကသိဉ်သရဉ်ဖိကသိဉ်မ့ၢ်တသံကွၢ်န့ၢ်တခါ,နသံကွၢ်အိမ့ၢ်ကသိဉ်လၢအပနီၢ်မံၤတအိဉ်အိဉ်ဒါ(တခါဃီလၢအပူၤဘဉ်)လၢကသိဉ်လၢန့ၢ်လိဉ်ဘဉ်အိအဂီၢ်တက့ၢ်.



ပနီၢ်မံၤအိဉ်

ပနီၢ်မံၤတအိဉ်

ကဘဉ်သုကသိကသိဘဉ်တဖဉ်ဘဉ်ဘျီးဘဉ်ဒါဒ်လဲဉ်

သံကွဉ်တၢ်သံကွဉ်တဖဉ်ဒ်သိး ကမၤလီၤတၢ်ဝဲလၢနနၢ်ပၢ်န ကသိကသိတဖဉ်အဂီၢ်

သံကွဉ်နကသိကသိသရၣ်, သရၣ်/သရၣ်မုဉ်ကွဉ်ပုၤဆါ, မ့တမ့ၢ်ကသိကသိသရၣ်ဖိကသိကသိဒ်သိးနကနၢ်ပၢ်တၢ်ကသုကသိကသိဒ်လဲဉ်အဂီၢ်တက့ၢ်.

ဒ်သိးကသုကသိကသိပူၤပူၤဖျးဖျးအဂီၢ်န့ၣ်, နလိာ်ဘဉ်သ့ၣ်ညါ-

- > ကသိကမၤန့ၣ်လဲဉ်
- > ဘဉ်မၤန့ၣ်သုကသိကသိန့ၣ်လဲဉ်
- > ကဘဉ်အိကသိကသိဒ်လဲဉ်ဒီးဆံးယံၣ်လဲဉ်
- > ကသိကအဂီၢ်တမံၤမံၤလၢနတကြၢၤသုယုာ်ဒီးကသိကအဝဲအံၤဘဉ်န့ၣ်အိဉ်တမံၤမံၤန့ၣ်.

နမ့ၢ်သးပူၤနီဉ်သုကသိကသိမ့တမ့ၢ်နမ့ၢ်တနၢ်ပၢ်တၢ်ဂ့ၢ်တၢ်ကျိၤလၢတၢ်ကွဲးလီၤအီၤလၢအလီၤဘဉ်န့ၣ်, နသံကွဉ်ကသိကသိသရၣ်ဖိကသိကသိလၢတၢ်မၤစၢၤအဂီၢ်သ့ဝဲလီၤ.

မ့ၢ်ယပၢ်ယကသိကသိအ လီၢ်အကျဲဘဉ်ဘဉ်ကသုလၢ ကျဲဒ်လဲဉ်.

ကသိကသိလၢတၢ်ဟံၣ်အလီၢ်အကျဲဘဉ်ဘဉ်န့ၣ်အတူၢ်ယံၣ်ဒီးမၤတၢ်ဂ့ၢ်လီၤ.

- > ထၢန့ၣ်လီၤဘဉ်နကသိကသိလၢတၢ်လီၢ်ပူၤဖျးလၢယံၣ်ဒီးဖိသ့ၣ်ဒီးဆဉ်ဖိကီၢ်ဖိလၢတၢ်ဘျးအီၤတဖဉ်တက့ၢ်.
- > ပၢ်ဃာ်နကသိကသိတဖဉ်လၢတၢ်လီၢ်လၢအခုဉ်, ဃုထီဝဲတခါတက့ၢ်. တၢ်လီၢ်လၢအစုဉ်စီဉ်ဒီးကလၢၤဝဲတဖဉ်, ဒ်ဖဉ်ကပူၤမ့တမ့ၢ်တၢ်လုာ်ထံလီၢ်န့ၣ်မၤဟးဂီၢ်နကသိကသိတဖဉ်သ့ဝဲလီၤ.

- > ပၢ်ကသိကသိတဖဉ်လၢအကစၢ်အဒါဒ်ဝဲအပူၤခီဖျိအိဉ်ဒီးတၢ်န့ၣ်လီၤတဖဉ်လၢလံာ်ကွဲးလၢအလီၤအယံၣ်လီၤ.
- > ကသိကနီၤလိာ်ဘဉ်တၢ်ပၢ်အီၤလၢထံလီၤသကၢအဒါပူၤ. တၢ်အံၤညီန့ၣ်တၢ်ကွဲးလီၤအီၤဖဲကသိကသိကသိကွဲးလၢအလီၤန့ၣ်လီၤ.
- > တၢ်ကွဲးလၢကသိကသိလၢအမ့ၢ်န့ၣ်လၢတဖဉ်ဒီးကသိကသိလၢနတသုလၢအီၤတဖဉ်တက့ၢ်.

ကသိကသိတဖဉ်မၤတၢ်ဒ်လဲဉ်

- > ကသိကနီၤမၤတၢ်ချ့သဒီးဒီးအဂီၢ်တဖဉ်ဟံးဝဲတၢ်ဆါကတီၢ်ယံၣ်, အဒိကသိကသိမၤစၢ်လီၤတၢ်ဆါ (analgesics) တဖဉ်ကမၤစၢ်လီၤတၢ်ဆါအဂီၢ်ကယံၣ်ဝဲစ့ၤမံးနံး ဘဉ်ဆဉ်ကသိကသိမၤသံတၢ်ဃာ်တဖဉ်ကယံၣ်ဝဲ ၂၄ န့ၣ်ရံၣ်တချ့န့ၣ်ထီဉ်ဘဉ်တၢ်ဆါအယံၣ်တဖဉ်ကိညါထီဉ်က့ၤဒီးအခါ, ကသိကမၤဂ့ၢ်ထီဉ်သးသဟီဉ်တဖဉ်ကယံၣ်ဝဲခံနွံဃာ်ဃာ်လၢနကထီဉ်ဘဉ်အသးတၢ်အိဉ်သးကိညါထီဉ်ဝဲအဂီၢ်လီၤ.
- > နမ့ၢ်ဘဉ်ယိဉ်လၢကသိကသိတဖဉ်န့ၣ်တမၤတၢ်ဘဉ်မ့တမ့ၢ်နတၢ်အိဉ်ဆူဉ်အိဉ်ချ့န့ၣ်ထီဉ်န့ၣ်, နကဘဉ်ထီဉ်နကသိကသိသရၣ်တဘျီဃီလီၤ.
- > ကသိကနီၤမၤတၢ်ဂ့ၢ်ဖဲနဟၢဖါအပူၤတၢ်တအိဉ်နီတမံၤအခါမ့တမ့ၢ်မၤဘဉ်ဒိနဟၢဖါသ့အယံၣ်ဂ့ၢ်ကတၢ်လၢနကအိဉ်သ့ဒီးတၢ်အိဉ်န့ၣ်လီၤ.

